





LTR	ECD No.	REVISION	DR	CK	AP	AP	DATE
A		RELEASE	MDV				01/22/02
B	6950	CHANGE TO 30 AMP IN	MDV				07/24/02



**SPECIFICATIONS:**

1. RACK MOUNTED 16GA EG STEEL CHASSIS BLACK POWDER COAT MEDIUM TEXTURE WITH WHITE SILK SCREEN  
19" WIDE STD. RACK MOUNTING  
3.44" HIGH  
18" DEEP
2. INPUT: 120 VAC, SINGLE-PHASE, 50/60 HZ.  
10 FOOT 10/3 SO CABLE WITH A NEMA L5-30 PLUG
3. OUTPUT: TWENTY-TWO 5-20 OUTLETS  
TWO 5-20 OUTLETS ON FRONT PANEL (J1 - J2)  
TEN 5-20 OUTLETS ON BACK PANEL (J3 - J12)  
TEN 5-20 OUTLETS ON BACK PANEL (J13 - J22) - BROWN  
MAXIMUM OUTPUT 24 AMPS, 16 AMPS J1 - J12, 16 AMPS J13 - J22
4. (2) CIRCUIT BREAKERS: 1-POLE, 20 AMP, LISTED BRANCH CIRCUIT  
CB 1 CONTROLS J1 - J12, CB 2 CONTROLS J13 - J22  
NOTE: CB2 AND J13 - J22 OUTLETS ARE  
FRAMED WITH WHITE SILK SCREEN
5. (2) INDICATOR LIGHTS-BLUE, ILLUMINATE WHEN BREAKER IS ON
6. SPIKE/SURGE SUPPRESSION: LINE TO NEUTRAL
7. UL/CUL LISTED UNDER UL 60950 THIRD EDITION  
FOR INFORMATION TECHNOLOGY EQUIPMENT



**UNCONTROLLED  
DRAWING**

THE INFORMATION AND DESIGN DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF PULIZZI ENGINEERING INC. PULIZZI ENGINEERING INC RESERVES ALL PATENT, PROPRIETARY, DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALE RIGHTS THERETO, AND TO ANY ARTICLE DISCLOSED THEREIN, EXCEPT TO THE EXTENT RIGHTS ARE EXPRESSLY GRANTED TO OTHERS. THE FOREGOING DOES NOT APPLY TO VENDOR PROPRIETARY PARTS. COPYRIGHT 2002 P.E.I.

<b>Z-LINE</b>		PULIZZI ENGINEERING INC. 3200 S. Susan Street, Santa Ana, CA 92704 (714) 540-4229 Fax (714) 641-9062	
TITLE	ENGINEERING DRAWING FOR PC 2773 ASSY. 2773		
SCALE	1:1	SHEET	1 OF 1
DRWN BY: MDV	DWG FILENAME: PC_2773B_ME.DWG	DWG NO.	PC_2773B_ME
REV	B		